Low Noise 26.4kw 33kva Diesel Generator Y4102D Standby Power Diesel Generator 50Hz

Basic Information

Place of Origin: CHINA

Brand Name: DELLENT- YANGDONG

Certification: CE ISO
 Model Number: DE-YD32
 Minimum Order Quantity: 1*20GP

Price: USD2000-4000Packaging Details: PLASTIC WRAP

• Delivery Time: 30 DAYS FROM DEPOSIT RECEIVED

• Supply Ability: 500 PCS PER MONTH



Product Specification

Name: 33kva Diesel Generator

Controller Brand: Smartgen
 Cooling System: Water Cooled
 Engine Brand: YANGDONG

Model: YANGDONG DIESEL GENERATOR

Noise Level: ≤85dB(A)
 Rated Frequency: 50Hz
 Rated Speed: 1500rpm

• Highlight: 33kva Diesel Generator,

Low Noise Standby Power Diesel Generator, Standby Power Diesel Generator 50Hz

Product Description

Low Noise 26.4kw 33kva Diesel Generator Y4102D Standby Power Diesel Generator

High

Low Noise 33kva Diesel Generator, Y4102D Standby Power Diesel Generator,

Light: **Low Noise Standby Power Diesel Generator**

Silent 26.4kw/33kva Yangdong Diesel Generator Y4102D

Product Introduce: Yangdong diesel generator is China engine. We have all series from 8kva to 71kva.

Application fields:

Diesel generator are used in any situation where a reliable backup power source is necessary to maintain continuity of operations.
For example:
Healthcare, Data Centers, Telecommunications, Construction, Manufacturing, Oil and Gas, Military, Residential electricity.

Advantage of our Yangdong diesel generator :

Yangdong diesel generator have a sturdy housing Longer lifespan Lower maintenance costs Lower noise level Faster delivery time Better team service Higher level technical support.

Product parameters:

We have p	ower from 10kw-30	000kw,		
any interes	ting please contac	t with us to quote the	e best price for you	
Details Genset	GenSet Model	DE-YD36	Туре	Silent(optional open)
	Frequency (Hz)	50/60	Speed rpm	1500/1800
	Phase	3	SRated voltage	230v/380v/400v/415v
	Prime output	26.4kW/33kva(150 0rpm) 32kW/40kva(1800r	Standby output	29kW/36.3kva(1500rp m)
		pm)		35kW/44kva(1800rpm)
	Cylinder	4	Cooling system	Water
	N.W (kg)	880	Size (L*W*H)mm	2250*850*1050
	Fuel Con.(L/H)	9.2	Fuel capacity tank	75L
	Running time (H)	8	Sound decibel	70DB-75DB
Details Engine	Brand	Yangdong		
	Model	Y4102D	Fuel	Diesel
	Cylinder	4	Cooling system	Water-cooling
	Cylider arrangemant	IN-LINE	Bore and Stroke(mm)	102 X 118
	Cyle	4 Staoke	Compression ratio	18.0:1
	Governor	Mechanical	Displacement(L)	3.875
Details Alternator	Brand	Stamford, Leroy Somer, Mecc Alte		
	Model	PI 044D/TAL-A40-C/LSA 40 VS0/ECP28 1VS4C		
	No.of bearings	1	Insulation class	H
	Wires	12	Ingress protection	IP23
	Excitation system	Shunt	Volrage	±1%
Optional si	ngle phase	1		

Delivery da	ite	
Custom	30 working days after payment	
For more details please contact us		

Options:

Canopy Design: including Denyo, Caterpillar, and Atlas, etc.

Alternator (AC): Stamford, Leroy Somer, Marathon, and Dellent brushless alternators TFW2 and YHG series. etc 1)Brushless, 4 poles, rotation magne;

2)IP21-23(NEMA1) enclose is standard for all industrial alternators;

3)H class insulation system;

4)AVR self-regulated, voltage regulation rate: ≤±1%;

5)Simple installation and maintenance with easy access to terminals, rotating diodes and coupling bolts

Control panel: Manual or digital control panel (with AMF function), varies brand for option; ATS can be option

1) Auto start when power goes out. Auto-stop when power comes back on;

2) Worldwide technical support with programmable software download;

3)Full online documentation;

4)Trouble shooting symbols to assist owner on concerns with the generator.

Type: silent type with canopy to reduce the noise level and Open frame without canopy for option

Fuel tank: 8-10 hours in normal, can be custmised



Fuan Dellent Electric & Machinery Co., Ltd.









dellentpower.com

NO.7, JINYE ROADTIEHU INDUSTRIAL AREA CHENGYANG TOWN, FUAN CITY, NINGDECITY, FUJIAN. CHINA