200kVA Perkins Diesel Generator 50Hz Three Phase 1106A-70TAG3

Basic Information

• Place of Origin: CHINA

• Brand Name: DELLENT-PERKINS

Certification: CE ISO
 Model Number: DE-P200
 Minimum Order Quantity: 1PC

Price: face to facePackaging Details: PLASTIC WRAP

Delivery Time: 30 DAYSPayment Terms: L/C, T/T

• Supply Ability: 500 PCS PER MONTH



Product Specification

Name: 200kVA Perkins Diesel Generator

Brand: PerkinsCooling System: Water Cooling

50HZ • Frequency: · Alternator: Alternator • Phase: Three Phase Diesel Generator Type: Smartgen DSE . Controller: • Engine Model: 1106A-70TAG3 • Prime Power: 144kVA/180kW 160kVA/200kW Standby Power:

Highlight: 200kVA Perkins Diesel Generator,
 Perkins 200kVA Generator,

Perkins 1106A-70TAG3

Product Description

1106A-70TAG3 50Hz 200kVA Standby Power Perkins Diesel Generator Set

High Commercial Perkins 200kVA Generator , 1106A-70TAG3 Engine Diesel Generator ,

Light: CE Perkins 200kva Generator ,50HZ

.PRODUCT DESCRIPTION

1106A-70TAG3 50Hz 200kVA Standby Power Perkins Diesel Generator Set

Product Introduce:Dellent Power Perkins Series generator powered by the original Perkins engine, it enjoys high stability, reliability, durability, and long life with a wide range of power output. It is widely used in the area of the port, railway, industrial, and mining.



Product parameters: Specification:

<u> </u>		
Model		DE-P200
Max. Power	kVA	200
	kW	160
Rate Power	kVA	182
	kW	145
Frequency	Hz	50
Rate Voltage	V	400/230
Rate Current	А	261.6

Specification of Perkins Diesel Engine:


ľ		
Engine Manufacturer		Perkins Engines Company Limited
Engine Brand		Perkins
Engine Model		1106A-70TAG3
No. of Cylinder		6 Cylinder in line
Aspiration		Turbocharged and Air to Air Aftercooled
Governor		Electric
Engine Max. Output Power	kW	179.8
Displacement	L	7.0
Compression Ratio		16.0 : 1
Starting Voltage	V	12
Bore	mm	105
Stroke	mm	135
Lubrication Oil Capacity	L	16.5
Intake Air Flow	L/S	N.A.
Fuel Consumption at 100% Load	L/H	38.2
<u>-</u>		•

Specification of Control Panel:

Control Panel Specification	
Controller Model	Leroy Somer alternator
Breaker Brand	DSE6120
Breaker Capacity (A)	262
Emergency Stop Button	Supply
Automatic Mains Fail (AMF)	Supply
Fuel Level	Supply
Automatic Transfer Switch	ATS as optional part

The control panel supply the full protection with alarm and shutdown of the diesel generator include Start-up fault (generator set shutdown), High coolant temperature (alarm and generator set shutdown), Low oil pressure (alarm and generator set shutdown), Low fuel level (alarm), Low cooling fluid level alarm (as optional), Overload (alarm and generator set shutdown), Battery voltage high (alarm).

Optional controller: Each model of Deepsea, Smartgen, ComAp brand controller.



Dedicated

We are DEDICATED to meet Customers' need.

Enthusiasm

We respond to our Customers' ENTHUSIASM



We cherish our Customers' LOYALTY



We aim to establish our own LUXURY brand



We offer our EFFICIENT service

Newest

We adopt NEWEST technologies for products



We strive for winning the TRUST from Customers

. QUALIFICATION CENTIFICATE:



















. FACTORY INTERIOR:















Advantages:

Advanced Safety Features: Our generator is equipped with advanced safety features such as low oil pressure shutdown, high coolant temperature shutdown, and over/under voltage protection. These features ensure that your generator operates safely and protects against

damage to critical components.

Quiet Operation: With its advanced noise reduction technology, our generator with Perkins engine operates at low noise levels, making it ideal for use in noise-sensitive environments. This makes it a great choice for residential and commercial use, where noise pollution is a concern.

If you need Perkins generator with other models technical data, kindly contact us for catalogues!



Fuan Dellent Electric & Machinery Co., Ltd.



+8613706938606



jennifer@dellent.com



dellentpower.com

NO.7,JINYE ROADTIEHU INDUSTRIAL AREA CHENGYANG TOWN, FUAN CITY,NINGDECITY,FUJIAN.CHINA