



50Hz 200kva Genset Standby Power 1106A-70TAG3 Perkins Diesel Generator Set

Our Product Introduction

Basic Information

- Place of Origin: CHINA
- Brand Name: DELLENT-PERKINS
- Certification: CE ISO
- Model Number: DE-P200
- Minimum Order Quantity: 1PC
- Price: face to face
- Packaging Details: PLASTIC WRAP
- Delivery Time: 30 DAYS
- Payment Terms: L/C, T/T
- Supply Ability: 500 PCS PER MONTH



Product Specification

- Name: 200 Kva Power Generator
- Cooling System: Water Cooling
- Frequency: 50HZ
- Alternator: Alternator
- Phase: Three Phase
- Brand: Perkins
- Type: Diesel Generator
- Controller: Smartgen DSE
- Engine Model: 1106A-70TAG3
- Prime Power: 144kVA/180kW
- Standby Power: 160kVA/200kW
- Highlight: **200kva Genset, 200 Kva Power Generator, 1106A-70TAG3 Perkins Diesel Generator Set**

for more products please visit us on dellentpower.com

Product Description

50Hz 200kVA Standby Power With 1106A-70TAG3 Of Perkins Diesel Generator Set

High: Commercial Perkins 200kVA Generator , 1106A-70TAG3 Engine Diesel Generator ,
 Light: CE Perkins 200kva Generator ,50HZ

.PRODUCT DESCRIPTION

50Hz 200kVA Standby Power with 1106A-70TAG3 of Perkins Diesel Generator Set

Product Introduce: Dellent Power Perkins Series generator powered by the original Perkins engine, it enjoys high stability, reliability, durability, and long life with a wide range of power output. It is widely used in the area of the port, railway, industrial, and mining.



Product parameters: Specification:

Model		DE-P200
Max. Power	kVA	200
	kW	160
Rate Power	kVA	182
	kW	145
Frequency	Hz	50
Rate Voltage	V	400/230
Rate Current	A	261.6

Specification of Perkins Diesel Engine:

Engine Manufacturer		Perkins Engines Company Limited
Engine Brand		Perkins
Engine Model		1106A-70TAG3
No. of Cylinder		6 Cylinder in line
Aspiration		Turbocharged and Air to Air Aftercooled
Governor		Electric
Engine Max. Output Power	kW	179.8
Displacement	L	7.0
Compression Ratio		16.0 : 1
Starting Voltage	V	12
Bore	mm	105
Stroke	mm	135
Lubrication Oil Capacity	L	16.5
Intake Air Flow	L/S	N.A.
Fuel Consumption at 100% Load	L/H	38.2

Specification of Control Panel :

Control Panel Specification	
Controller Model	Leroy Somer alternator
Breaker Brand	DSE6120
Breaker Capacity (A)	262
Emergency Stop Button	Supply
Automatic Mains Fail (AMF)	Supply
Fuel Level	Supply
Automatic Transfer Switch	ATS as optional part
The control panel supply the full protection with alarm and shutdown of the diesel generator include Start-up fault (generator set shutdown), High coolant temperature (alarm and generator set shutdown), Low oil pressure (alarm and generator set shutdown), Low fuel level (alarm), Low cooling fluid level alarm (as optional), Overload (alarm and generator set shutdown), Battery voltage high (alarm).	
Optional controller: Each model of Deepsea, Smartgen, ComAp brand controller.	

. Why Choose Us:

Dedicated

We are DEDICATED to meet Customers' need.

Enthusiasm

We respond to our Customers' ENTHUSIASM

Loyalty

We cherish our Customers' LOYALTY

Luxury

We aim to establish our own LUXURY brand

Efficient

We offer our EFFICIENT service

Newest

We adopt NEWEST technologies for products

Trust

We strive for winning the TRUST from Customers

. QUALIFICATION CENTIFICATE:



. FACTORY INTERIOR:



If you need Deutz generator with other models technical data, kindly contact us for catalogues!



Fuan Dellent Electric & Machinery Co., Ltd.

+8613706938606

jennifer@dellent.com

dellentpower.com

NO.7,JINYE ROADTIEHU INDUSTRIAL AREA CHENGYANG TOWN, FUAN
CITY,NINGDE CITY,FUJIAN.CHINA