

50Hz Doosan Diesel Generator 200 Kva Silent Generator 3 Phase

Basic Information

Place of Origin: CHINA

Brand Name: DELLENT-Doosan

Certification: CE ISO
 Model Number: DE-DS200
 Minimum Order Quantity: 1PC

Price: face to facePackaging Details: PLASTIC WRAP

Delivery Time: 30 DAYSPayment Terms: L/C, T/T

• Supply Ability: 500 PCS PER MONTH



Product Specification

Name: Doosan Diesel Generator 200 Kva

Brand: DoosanCooling System: Water Cooling

• Frequency: 50HZ

Alternator: Mecc Alte Brand
Phase: Three Phase
Type: Diesel Generator
Controller: Smartgen

Engine Model: DP158LD
Rate Power: 200kVA / 160kW
Max Power: 220kVA / 176kW

Highlight: 50Hz Doosan Diesel Generator,
 Doosan Diesel Generator 200 Kva,

Silent Generator 3 Phase

50Hz Silent Three Phase 200kVA Doosan Diesel Generator Set

. PRODUCT DESCRIPTION

50Hz Silent Three Phase 200kVA Doosan Diesel Generator Set

Product Introduce:Dellent Power Doosan Series generator powered by the original Doosan engineAs an authorized Doosan generator dealer, we offer a wide range of models to suit any power needs and budget. From compact and portable generators to heavy-duty industrial generators, we have the expertise and resources to help you find the perfect generator for your needs.

At our Doosan generator dealership, we understand the importance of quality and reliability when it comes to power generation. That's why we only offer the best generators from Doosan, a leading manufacturer of power equipme

Product parameters: Specification of 200kVA Emergency Standby Generator:

| Model | | DE-DS200 |
|--|-----|---------------------------------------|
| Max. Power | kVA | 220 |
| | kW | 176 |
| Rate Power | kVA | 200 |
| | kW | 160 |
| Frequency | Hz | 50 |
| Rate Voltage | V | 400/230 |
| Rate Current | Α | 288.7 |
| Fuel Tank Capacity | L | 350L |
| Dimension For Open-type Genset | mm | 2590 X 950 X 1600 |
| Weight For Open-type Genset | kg | 2000 |
| Dimension For Soundproof Genset | mm | 3500X 1126 X 1700 |
| Weight For Soundproof Generator | kg | 2690 |
| Noise Level for Soundproof Generator at 7M | dBA | 78 |
| Battery | | Two of 120Ah Free Maintenance Battery |

Specification of Doosan Diesel Engine P086TI:

| Specification of Doosan Dieser Engir | IE PUOD II. | |
|--------------------------------------|-------------|--------------------|
| Engine Manufacturer | | Doosan Infracore |
| Engine Brand | | Doosan |
| Engine Model | | P086TI |
| No. of Cylinder | | 6 Cylinder in line |
| Aspiration | | Turbocarged |
| Governor | | Electric |
| Engine Max. Output Power | kW | 199 |
| Displacement | L | 8.1 |
| Compression Ratio | | 16.4 : 1 |
| Starting Voltage | V | 24 |
| Bore | mm | 111 |
| Stroke | mm | 139 |
| Lubrication Oil Capacity | L | 19 |
| Intake Air Flow | M³/Min | 13.9 |
| Fuel Consumption at 100% Load | L/H | 44.7 |
| | • | |

Specification of Control Panel:

| Specification of Control Panel for 200kVA Emergency Standby Generator: | | |
|--|----------------------|--|
| Controller Brand | ComAp | |
| Breaker Brand | Delixi | |
| Breaker Capacity (A) | 400 | |
| Battery Charger | Smartgen | |
| Emergency Stop Button | Supply | |
| Automatic Mains Fail (AMF) | Supply | |
| Fuel Level | Supply | |
| Automatic Transfer Switch | ATS as optional part | |
| | | |

The control panel supply the full protection with alarm and shutdown of the diesel generator include Start-up fault (generator set shutdown), High coolant temperature (alarm and generator set shutdown), Low oil pressure (alarm and generator set shutdown), Low fuel

level (alarm), Low cooling fluid level alarm (as optional), Overload (alarm and generator set shutdown), Battery voltage high (alarm).

Optional controller: Each model of Deepsea, Smartgen, ComAp brand controller.

. Why Choose Us:

Dedicated

We are DEDICATED to meet Customers' need.

Enthusiasm

We respond to our Customers' ENTHUSIASM

Loyalty

We cherish our Customers' LOYALTY

Luxury

We aim to establish our own LUXURY brand

Efficient

We offer our EFFICIENT service

Newest

We adopt NEWEST technologies for products

Trust

We strive for winning the TRUST from Customers

. QUALIFICATION CENTIFICATE:



















. FACTORY INTERIOR:













FAQ

- Q: What's your delivery time?
- A: Standard product 20 days 3 0 days.
- Q: Can we add our logo to products?
- A: Yes, there are several ways to do this. We can put the label of your logo on the products or make the silk print of your logo on the products. It is free.
- Q: Can we customize the product?
- A: We have a very experienced technical team, we can customize any product according to your requirements, such as synchronization system, wet exhaust system, ultra-silent system

| If you need DOOSAN generator with other models technical data, kindly contact us for catalogues! | | |
|--|--|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| Fuan Dellent Electric & Machinery Co., Ltd. | | |

jennifer@dellent.com NO.7,JINYE ROADTIEHU INDUSTRIAL AREA CHENGYANG TOWN, FUAN CITY,NINGDECITY,FUJIAN.CHINA

dellentpower.com

+8613706938606