



Cummins 1000kw Generator 1500RPM 1800RPM Cummins Industrial Generator

Our Product Introduction

Basic Information

- Place of Origin: CHINA
- Brand Name: DELLENT-Cummins
- Certification: CE/ISO9001
- Model Number: DE-CC1375
- Minimum Order Quantity: 1 PC
- Price: bargain face-to-face
- Packaging Details: PLASTIC WRAP OR PLYWOOD CASE
- Delivery Time: 20-30 DAYS
- Payment Terms: L/C, T/T
- Supply Ability: 1 MONTH 600PCS



Product Specification

- Name: Cummins 1000kw Generator
- Engine Brand: Cummins
- Cooling Method: Water-Cooling System
- Fuel Type: Diesel
- Rated Frequency: 50HZ/60HZ
- Speed: 1500RPM/1800RPM
- Warranty: 12 Months/1000 Hours
- Highlight: **Cummins 1000kw Generator,
1500RPM Cummins Industrial Generator,
1800RPM Cummins Industrial Generator**

for more products please visit us on dellentpower.com

CE Cummins Diesel Generator about 1000kW.

Looking for reliable Cummins generators for your power needs? Look no further than our Cummins generator dealership! We are proud to offer a wide range of high-quality Cummins gensets that are perfect for both residential and commercial use. As an authorized Cummins generator dealer, we offer a wide range of models to suit any power needs and budget. From compact and portable generators to heavy-duty industrial generators, we have the expertise and resources to help you find the perfect generator for your needs.

. PRODUCT

50 60 TECHNICAL DATA CUMMINS CCEC Series Diesel Generator Sets											
Generator Model	Prime Power (kW)	Standby Power (kW)	Rated Power (kW)	Rated Voltage (V)	Rated Frequency (Hz)	Rated Current (A)	Rated Power Factor	Rated Speed (rpm)	Rated Efficiency (%)	Rated Life (h)	Rated Life (yr)
CE-C230	18	23	17.5	400	50/60	30	0.8	1800/1800	90	25000	25000
CE-C240	22	28	21	400	50/60	36	0.8	1800/1800	90	25000	25000
CE-C250	27	34	26	400	50/60	42	0.8	1800/1800	90	25000	25000
CE-C260	32	40	31	400	50/60	48	0.8	1800/1800	90	25000	25000
CE-C270	37	46	36	400	50/60	54	0.8	1800/1800	90	25000	25000
CE-C280	42	52	41	400	50/60	60	0.8	1800/1800	90	25000	25000
CE-C290	47	58	46	400	50/60	66	0.8	1800/1800	90	25000	25000
CE-C300	52	64	51	400	50/60	72	0.8	1800/1800	90	25000	25000
CE-C310	57	70	56	400	50/60	78	0.8	1800/1800	90	25000	25000
CE-C320	62	76	61	400	50/60	84	0.8	1800/1800	90	25000	25000
CE-C330	67	82	66	400	50/60	90	0.8	1800/1800	90	25000	25000
CE-C340	72	88	71	400	50/60	96	0.8	1800/1800	90	25000	25000
CE-C350	77	94	76	400	50/60	102	0.8	1800/1800	90	25000	25000
CE-C360	82	100	81	400	50/60	108	0.8	1800/1800	90	25000	25000
CE-C370	87	106	86	400	50/60	114	0.8	1800/1800	90	25000	25000
CE-C380	92	112	91	400	50/60	120	0.8	1800/1800	90	25000	25000
CE-C390	97	118	96	400	50/60	126	0.8	1800/1800	90	25000	25000
CE-C400	102	124	101	400	50/60	132	0.8	1800/1800	90	25000	25000
CE-C410	107	130	106	400	50/60	138	0.8	1800/1800	90	25000	25000
CE-C420	112	136	111	400	50/60	144	0.8	1800/1800	90	25000	25000
CE-C430	117	142	116	400	50/60	150	0.8	1800/1800	90	25000	25000
CE-C440	122	148	121	400	50/60	156	0.8	1800/1800	90	25000	25000
CE-C450	127	154	126	400	50/60	162	0.8	1800/1800	90	25000	25000
CE-C460	132	160	131	400	50/60	168	0.8	1800/1800	90	25000	25000
CE-C470	137	166	136	400	50/60	174	0.8	1800/1800	90	25000	25000
CE-C480	142	172	141	400	50/60	180	0.8	1800/1800	90	25000	25000
CE-C490	147	178	146	400	50/60	186	0.8	1800/1800	90	25000	25000
CE-C500	152	184	151	400	50/60	192	0.8	1800/1800	90	25000	25000
CE-C510	157	190	156	400	50/60	198	0.8	1800/1800	90	25000	25000
CE-C520	162	196	161	400	50/60	204	0.8	1800/1800	90	25000	25000
CE-C530	167	202	166	400	50/60	210	0.8	1800/1800	90	25000	25000
CE-C540	172	208	171	400	50/60	216	0.8	1800/1800	90	25000	25000
CE-C550	177	214	176	400	50/60	222	0.8	1800/1800	90	25000	25000
CE-C560	182	220	181	400	50/60	228	0.8	1800/1800	90	25000	25000
CE-C570	187	226	186	400	50/60	234	0.8	1800/1800	90	25000	25000
CE-C580	192	232	191	400	50/60	240	0.8	1800/1800	90	25000	25000
CE-C590	197	238	196	400	50/60	246	0.8	1800/1800	90	25000	25000
CE-C600	202	244	201	400	50/60	252	0.8	1800/1800	90	25000	25000
CE-C610	207	250	206	400	50/60	258	0.8	1800/1800	90	25000	25000
CE-C620	212	256	211	400	50/60	264	0.8	1800/1800	90	25000	25000
CE-C630	217	262	216	400	50/60	270	0.8	1800/1800	90	25000	25000
CE-C640	222	268	221	400	50/60	276	0.8	1800/1800	90	25000	25000
CE-C650	227	274	226	400	50/60	282	0.8	1800/1800	90	25000	25000
CE-C660	232	280	231	400	50/60	288	0.8	1800/1800	90	25000	25000
CE-C670	237	286	236	400	50/60	294	0.8	1800/1800	90	25000	25000
CE-C680	242	292	241	400	50/60	300	0.8	1800/1800	90	25000	25000
CE-C690	247	298	246	400	50/60	306	0.8	1800/1800	90	25000	25000
CE-C700	252	304	251	400	50/60	312	0.8	1800/1800	90	25000	25000
CE-C710	257	310	256	400	50/60	318	0.8	1800/1800	90	25000	25000
CE-C720	262	316	261	400	50/60	324	0.8	1800/1800	90	25000	25000
CE-C730	267	322	266	400	50/60	330	0.8	1800/1800	90	25000	25000
CE-C740	272	328	271	400	50/60	336	0.8	1800/1800	90	25000	25000
CE-C750	277	334	276	400	50/60	342	0.8	1800/1800	90	25000	25000
CE-C760	282	340	281	400	50/60	348	0.8	1800/1800	90	25000	25000
CE-C770	287	346	286	400	50/60	354	0.8	1800/1800	90	25000	25000
CE-C780	292	352	291	400	50/60	360	0.8	1800/1800	90	25000	25000
CE-C790	297	358	296	400	50/60	366	0.8	1800/1800	90	25000	25000
CE-C800	302	364	301	400	50/60	372	0.8	1800/1800	90	25000	25000
CE-C810	307	370	306	400	50/60	378	0.8	1800/1800	90	25000	25000
CE-C820	312	376	311	400	50/60	384	0.8	1800/1800	90	25000	25000
CE-C830	317	382	316	400	50/60	390	0.8	1800/1800	90	25000	25000
CE-C840	322	388	321	400	50/60	396	0.8	1800/1800	90	25000	25000
CE-C850	327	394	326	400	50/60	402	0.8	1800/1800	90	25000	25000
CE-C860	332	400	331	400	50/60	408	0.8	1800/1800	90	25000	25000
CE-C870	337	406	336	400	50/60	414	0.8	1800/1800	90	25000	25000
CE-C880	342	412	341	400	50/60	420	0.8	1800/1800	90	25000	25000
CE-C890	347	418	346	400	50/60	426	0.8	1800/1800	90	25000	25000
CE-C900	352	424	351	400	50/60	432	0.8	1800/1800	90	25000	25000
CE-C910	357	430	356	400	50/60	438	0.8	1800/1800	90	25000	25000
CE-C920	362	436	361	400	50/60	444	0.8	1800/1800	90	25000	25000
CE-C930	367	442	366	400	50/60	450	0.8	1800/1800	90	25000	25000
CE-C940	372	448	371	400	50/60	456	0.8	1800/1800	90	25000	25000
CE-C950	377	454	376	400	50/60	462	0.8	1800/1800	90	25000	25000
CE-C960	382	460	381	400	50/60	468	0.8	1800/1800	90	25000	25000
CE-C970	387	466	386	400	50/60	474	0.8	1800/1800	90	25000	25000
CE-C980	392	472	391	400	50/60	480	0.8	1800/1800	90	25000	25000
CE-C990	397	478	396	400	50/60	486	0.8	1800/1800	90	25000	25000
CE-C1000	402	484	401	400	50/60	492	0.8	1800/1800	90	25000	25000

. Why Choose Us:

Dedicated
We are DEDICATED to meet Customers' need.

Enthusiasm
We respond to our Customers' ENTHUSIASM

Loyalty
We cherish our Customers' LOYALTY

Luxury
We aim to establish our own LUXURY brand

Efficient
We offer our EFFICIENT service

Newest
We adopt NEWEST technologies for products

Trust
We strive for winning the TRUST from Customers

. QUALIFICATION CERTIFICATE:



. FACTORY INTERIOR:



Fuan Dellent Electric & Machinery Co., Ltd.



+8613706938606



jennifer@dellent.com



dellentpower.com

NO.7,JINYE ROADTIEHU INDUSTRIAL AREA CHENGYANG TOWN, FUAN
CITY,NINGDE CITY,FUJIAN.CHINA